

FOODSERVICE PRODUCTS FROM DORMONT MFG.

# H.D. Sheldon & Company, Inc.

## Gas & Water Connectors and Accessories

Connect with Confidence®



143 West 29th Street,  
New York, NY 10001 USA  
Phone: 212-924-6920  
Fax: 212-627-1759  
Email: [sales@hdsheldon.com](mailto:sales@hdsheldon.com)

**HDS** **H.D. Sheldon & Co.**  
SERVING THE INTERNATIONAL MARKETS  
SINCE 1944

Price List 2021

## TABLE OF CONTENTS

Gas Connectors, Accessories, Foodservice Products .....	1
Braided, PVC-Coated Stainless Steel Gas Connectors & Kits .....	2
PVC-Coated, Unbraided Stainless Steel Gas Connectors & Kits .....	3
PVC-Coated & Uncoated Stainless Steel Gas Connectors .....	4
Gas Connector Accessories .....	5
Additional Foodservice Products .....	6

*Visit [Dormont.com](http://Dormont.com) for additional information about Dormont products for foodservice gas applications. To see products and systems related to foodservice water applications – such as water filtration and plumbing products, visit [Foodservice.Watts.com](http://Foodservice.Watts.com).*

HD Sheldon, Inc.

## Gas Connectors, Accessories, Foodservice Products




HD Sheldon offers a wide variety of premium-quality gas connectors and accessories from Dormont Manufacturing to help ensure the safest possible conditions in commercial kitchens. These and other products offered by Dormont for foodservice applications are designed to enhance productivity and efficiency in kitchen operations.



Braided PVC-Coated Gas Connectors with QDs



PVC-Coated Gas Connectors with QDs



PVC-Coated & Uncoated Gas Connectors



Gas Connector Accessories



Foodservice Water Products



*Dormont commercial gas connectors and Safety System components are backed by a limited lifetime warranty. We guarantee them for the life of the original appliance to which they are connected.*

## Braided, PVC-Coated Stainless Steel Gas Connectors & Kits



### Braided Yellow PVC-Coated Stainless Steel Gas Connector Kits



These Dormont Safety System Kits include a braided, stainless steel corrugated gas connector that's coated with yellow antimicrobial polyvinyl, Stress Guard® multi-rotational end fittings, quick disconnect, full port valve, restraining device, and 90-degree street elbows.



Part Number	Dimensions	36"	48"	60"	72"
1650YKITB	5/8" OD (1/2" ID)	\$256.82	\$249.11	\$308.19	\$344.46
1675YKITB	1" OD (3/4" ID)	\$328.86	\$346.25	\$423.46	\$456.05
16100YKITB	1-1/4" OD (1" ID)	\$423.38	\$462.28	\$536.21	\$564.94
16125YKITB	1-1/2" OD (1-1/4" ID)	\$681.41	\$749.18	\$826.72	\$899.37

All pricing shown in this catalog is in U.S. dollars.

### Braided Yellow PVC-Coated Stainless Steel Gas Connectors with QD

Dormont braided, stainless steel corrugated gas connectors used in the kit can also be ordered separately. Coated with yellow antimicrobial polyvinyl and equipped with multi-rotational end fittings, it includes a quick disconnect, and elbow.



**NOTE:** Safety Systems are not for use in temperatures lower than 32°F (0° C) and are for indoor use only.

Part Number	Dimensions	36"	48"	60"	72"
1650BYQB	5/8" OD (1/2" ID)	\$218.00	\$235.50	\$274.32	\$305.64
1675BYQB	1" OD (3/4" ID)	\$300.68	\$334.51	\$387.08	\$419.63
16100BYQB	1-1/4" OD (1" ID)	\$378.33	\$420.87	\$479.74	\$526.08
16125BYQB	1-1/2" OD (1-1/4" ID)	\$601.36	\$667.63	\$740.28	\$819.21

#### Design Certifications & Approvals



ANSI Z21.69 / CSA 6.16 Metal Connectors for Moveable Gas Appliances  
ANSI Z21.41 / CSA 6.9 Quick Disconnect Devices for use with gas fuel  
ANSI Z21.15 / CSA 9.1 Manually Operated Gas Valves

**NSF/ANSI 169 Special-Purpose Food Equipment and Devices**


#### HOW TO ORDER

To order Dormont products, please create an ordering code based on the part numbers and specifications provided in the charts.


In Example A, 1675YKITB48 refers to a gas connector kit that includes a 3/4" dia., 48" long gas connector, quick disconnect, full port valve, two elbows, and a restraining device. To include a Safety-Set® positioning system, add PS to the end of the part kit number.

In Example B, 1675BYQB48 refers to a 3/4" dia., 48" long PVC-coated, braided gas connector with a quick disconnect and one elbow.

#### Example A:



#### Example B:




#### PART NUMBER EXPLANATIONS

1650	1/2" DIA. (of Gas Connector)
1675	3/4" DIA. (of Gas Connector)
16100	1" DIA. (of Gas Connector)
16125	1-1/4" DIA. (of Gas Connector)
YKIT	Yellow-Coated Braided Gas Connector & Components
B	Quick Disconnect (when not part of kit)
BY	Braided, Yellow-Coated Gas Connector (not part of kit)
QB	Quick Disconnect (when not part of kit)
24	24" Length Gas Connector
36	36" Length Gas Connector
48	48" Length Gas Connector
60	60" Length Gas Connector
72	72" Length Gas Connector
PS	Positioning System—Safety-Set

## PVC-Coated, Unbraided Stainless Steel Gas Connectors & Kits with SnapFast® QD



### Yellow PVC-Coated Stainless Steel Gas Connector Kits with SnapFast QD



Dormont stainless steel, unbraided corrugated gas connector kits feature a yellow antimicrobial polyvinyl-coated connector with quality flared fittings and adapters, the SnapFast® one-handed quick disconnect, a full port valve, restraining device, and elbows.



Part Number	Dimensions	36"	48"	60"	72"
3850KIT	5/8" OD (1/2" ID)	\$162.19	\$175.91	\$217.91	\$207.75
4875KIT	1" OD (3/4" ID)	\$304.79	\$280.70	\$336.42	\$353.65
58100KIT	1-1/4" OD (1" ID)	\$407.51	\$372.60	\$451.32	\$435.89
68125KIT	1-1/2" OD (1-1/4" ID)	\$717.87	\$760.01	\$655.45	\$676.31

### Yellow PVC-Coated Stainless Steel Gas Connectors with SnapFast QD

The same Dormont stainless steel, unbraided polyvinyl-coated corrugated gas connectors available in kits (above) are also available separately with the SnapFast® one-handed quick disconnect.



Part Number	Dimensions	36"	48"	60"	72"
3850PQ	1/2" MIP x 1/2" QD	\$129.06	\$124.87	\$147.57	\$143.12
4875PQ	3/4" MIP x 3/4" QD	\$204.47	\$218.95	\$268.85	\$282.02
58100PQ	1" MIP x 1" QD	\$299.26	\$310.45	\$336.95	\$359.26
68125PQ	1-1/4" MIP x 1-1/4" Q	\$518.13	\$634.77	\$547.18	\$581.49

#### PART NUMBER EXPLANATION & ORDERING

The **Part Number Explanations charts** on Pages 2 and 3 will help you understand the ordering code used to order Dormont gas connectors and systems.

Dormont gas connector Safety Systems have been configured over the years as solutions for the most common kitchen applications.

PART NUMBER EXPLANATIONS	
3850	5/8" OD, 1/2" ID PVC-coated
4875	1" OD, 3/4" ID PVC-coated
58100	1-1/4" OD, 1" ID PVC-coated
68125	1-1/2" OD, 1-1/4" ID PVC-coated
KIT	Gas Connector & Components
P	PVC-Coated
Q	SnapFast® Quick Disconnect
24	24" Length Gas Connector
36	36" Length Gas Connector
48	48" Length Gas Connector
60	60" Length Gas Connector
72	72" Length Gas Connector
PS	Positioning System-Safety-Set

All pricing shown in this catalog is in U.S. dollars.

## PVC-Coated & Uncoated Stainless Steel Gas Connectors

Stainless steel corrugated gas connectors with flared end fittings and adapters are available in both uncoated and yellow PVC-coated versions. These connectors feature 304 stainless steel construction that's both durable and corrosion-resistant. Dormont's No Neck® design increases connector flexibility to reduce the danger of cracks. The quality flared end fittings create a metal-to-metal seal to ensure integrity in critical applications.


### PART NUMBER EXPLANATION & ORDERING

#### PART NUMBER EXPLANATIONS

1	DIA – 3/8" OD (1/4" ID)
2	DIA – 1/2" OD (3/8" ID)
3	DIA – 5/8" OD (1/2" ID)
4	DIA – 1" OD (3/4" ID)
5	DIA – 1 1/4" OD (1" ID)
6	DIA – 1 1/2" OD (1 1/4" ID)
0	Corrugated (uncoated)
8	PVC-Coated, Corrugated
21	3/8" MIP (Tapped 1/4" FIP)
22	3/8" FIP
31	1/2" MIP (Tapped 3/8" FIP)
32	1/2" FIP
41	3/4" MIP (Tapped 1/2" FIP)
42	3/4" FIP
51	1/2" MIP (Tapped 3/4" FIP)
52	1" FIP
61	1 1/4" MIP (Tapped 1" FIP)
62	1 1/4" FIP
24	24" Length Gas Connector
36	36" Length Gas Connector
48	48" Length Gas Connector
60	60" Length Gas Connector
72	72" Length Gas Connector
PS	Positioning System--Safety-Set

Ordering code example shown here – 30313248 – refers to a 48-inch long 5/8" OD corrugated uncoated gas connector with 1/2" MIP and 1/2" FIP end fitting.

#### Example C:



### Design Certifications & Approvals


ANSI Z21.24 / CSA 6.10 Connectors for Gas Appliances

ANSI Z21.75 / CSA 6.27 Connectors for Outdoor Gas Appliances and Manufactured Homes



### Yellow Antimicrobial PVC-Coated Stainless Steel Gas Connectors

Part Number	Fitting	36"	48"	60"	72"
<b>60 SERIES - 1-1/2" OD (1-1/4" ID)</b>					
68-6162-	1-1/4" Fittings M x F, PVC-Coated	\$181.06	\$198.89	\$229.52	\$250.99
<b>50 SERIES - 1-1/4" OD (1" ID)</b>					
58-5152-	1" Fittings M x F, PVC-Coated	\$160.83	\$178.52	\$203.68	\$225.45
<b>40 SERIES - 1" OD (3/4" ID)</b>					
48-4142-	3/4" Fittings M x F, PVC-Coated	\$100.10	\$115.74	\$125.37	\$139.67
<b>30 SERIES - 5/8" OD (1/2" ID)</b>					
38-3132-	1/2" MIP x 1/2" FIP, PVC-Coated	\$33.14	\$42.47	\$50.67	\$64.16
38-4142-	3/4" MIP x 3/4" FIP, PVC-Coated	\$34.74	\$42.47	\$50.67	\$58.87
<b>20 SERIES - 1/2" OD (3/8" ID)</b>					
28-2121-	3/8" MIP x 3/8" MIP, PVC-Coated	\$35.58	\$43.42	\$53.22	\$69.74
28-3131-	1/2" MIP x 1/2" MIP, PVC-Coated	\$35.73	\$43.42	\$53.22	\$69.74



Part Number	Fitting	36"	48"	60"	72"
<b>60 SERIES - 1-1/2" OD (1-1/4" ID)</b>					
60-6162-	1-1/4" Fittings M x F, Uncoated	\$186.06	\$203.74	\$224.74	\$245.70
<b>50 SERIES - 1-1/4" OD (1" ID)</b>					
50-5152-	1" Fittings M x F, Uncoated	\$139.62	\$154.13	\$175.42	\$198.13
<b>40 SERIES - 1" OD (3/4" ID)</b>					
40-4142-	3/4" Fittings M x F, Uncoated	\$94.89	\$104.44	\$122.38	\$139.00
<b>30 SERIES - 5/8" OD (1/2" ID)</b>					
30-3131-	1/2" MIP x 1/2" MIP, Uncoated	\$23.91	\$30.48	\$36.45	\$42.29
30-4141-	3/4" MIP x 3/4" MIP, Uncoated	\$23.91	\$30.48	\$36.45	\$42.29
30-3232-	1/2" FIP x 1/2" FIP, Uncoated	\$23.91	\$30.48	\$36.45	\$42.29
30-4242-	3/4" FIP x 3/4" FIP, Uncoated	\$23.91	\$29.56	\$36.45	\$42.29
30-3132-	1/2" MIP x 1/2" FIP, Uncoated	\$23.91	\$29.88	\$36.45	\$42.29
30-4142-	3/4" MIP x 3/4" FIP, Uncoated	\$23.91	\$29.42	\$36.45	\$42.29
<b>20 SERIES - 1/2" OD (3/8" ID)</b>					
20-2121-	3/8" MIP x 3/8" MIP, Uncoated	\$22.06	\$26.21	\$32.26	\$36.71
20-3131-	1/2" MIP x 1/2" MIP, Uncoated	\$22.06	\$26.21	\$32.26	\$36.71
20-2222-	3/8" FIP x 3/8" FIP, Uncoated	\$22.06	\$26.21	\$32.26	\$36.71
20-3232-	1/2" FIP x 1/2" FIP, Uncoated	\$22.06	\$26.21	\$32.26	\$36.71
20-2122-	3/8" MIP x 3/8" FIP, Uncoated	\$22.06	\$26.21	\$32.26	\$36.71
20-4142-	3/4" MIP x 3/4" FIP, Uncoated	\$23.37	\$26.21	\$34.74	\$39.55
<b>10 SERIES - 3/8" OD (1/4" ID)</b>					
10-2121-	3/8" MIP x 3/8" MIP, Uncoated	\$20.82	\$22.67	\$25.88	\$27.67
10-3131-	1/2" MIP x 1/2" MIP, Uncoated	\$20.82	\$22.67	\$25.88	\$27.67
10-2222-	3/8" FIP x 3/8" FIP, Uncoated	\$20.82	\$22.67	\$25.88	\$27.67
10-3232-	1/2" FIP x 1/2" FIP, Uncoated	\$20.82	\$22.67	\$25.88	\$27.67
10-2122-	3/8" MIP x 3/8" FIP, Uncoated	\$20.82	\$22.67	\$25.88	\$27.67
10-3132-	1/2" FIP x 1/2" FIP, Uncoated	\$20.82	\$22.67	\$25.88	\$27.67

All pricing shown in this catalog is in U.S. dollars.

## Gas Connector Accessories

The Safety System concept of a complete gas equipment connection system for commercial kitchens is an innovation introduced by Dormont. It includes the PVC-coated braided gas connector and additional advanced accessories that improve safety, efficiency, and productivity:

### ■ SnapFast®

is the only one-handed quick-disconnect (QD) fitting designed for commercial kitchens, making it easier and faster to service and move gas equipment for cleaning and maintenance. It includes a thermal shut-off for added safety.



### ■ Swivel MAX®

gives your gas connector 360° multi-plane movement for maximum equipment mobility. It decreases stress on the connector to create a safer gas connection to your caster-mounted appliances—and it increases aisle space by letting you move equipment closer to walls.



### ■ Restraining Cables

for caster-mounted foodservice equipment prevent strain on the gas connector. Dormont Restraining Cable kits include everything needed to attach the cable securely to the equipment and the wall of the kitchen facility.



### ■ Safety Quik®

is a unique quick-disconnect protection valve that combines one-handed QD functionality with a patented safety feature that prevents kitchen staff from accidentally turning on the gas when an appliance is disconnected to the supply line. It also prevents the connector from being disconnected when gas is flowing. It includes an internal thermal shut-off for added safety.



### ■ Safety-Set®

is an innovative placement system often required by codes for caster-mounted kitchen equipment. It ensures appliances are returned to their precise location beneath fire suppression and ventilation systems after equipment has been moved for cleaning or maintenance.



#### PART NUMBER EXPLANATIONS

PART	NUMBER	EXPLANATIONS
CF		Safety-Quik Quick Disconnect & Shut-off Valve
S		Swivel MAX
2S		Double Swivel MAX
R		Restraining Cable
PS		Positioning System-Safety-Set



## Additional Foodservice Products Available from Dormont

In addition to gas connectors and related accessories, Dormont offers additional products for making commercial foodservice operations more effective and efficient. These include, pre-rinses and faucets, grease interceptors, and drains.

### Foodservice Plumbing

The Hydro-Force™ line of foodservice plumbing products is designed to keep commercial foodservice operations running safely and effectively for years. Hydro-Force features Lead Free\* quality-built faucets, pre-rinse assemblies, glass and pot fillers, and an expansive offering of plumbing components and parts. The line also includes drain products and service sink faucets that, although not required to be Lead Free, exhibit the quality and heavy-duty characteristics that ensure years of dependable service.



### Grease Interceptors

Dormont offers a full line of grease interceptors for installation on cooking/prep sinks; pot, pan and scullery sinks; and dishwasher applications. Grease interceptors are available in a variety of configurations that include on-floor, recessed with and without extensions, and recessed with access housing. They are also available with no-hub or threaded connections.



\*The wetted surface of this product contacted by consumable water contains less than 0.25% of lead by weight.

### Ordering Information

To order products in this catalog, contact:

## HD Sheldon & Company

143 West 29th Street, New York, NY 10001 USA

Phone: 212-924-6920 • Fax: 212-627-1759

Email: [sales@hdsheldon.com](mailto:sales@hdsheldon.com)

*Additional system information and product specifications are available at [Dormont.com](http://Dormont.com)*

